

**THE NETHERLANDS
(N E D E R L A N D)****COMMUNICATION**

Concerning ⁽¹⁾:

- approval granted
- ~~approval extended~~
- ~~approval refused~~
- ~~approval withdrawn~~
- ~~production definitely discontinued~~

of a type of LPG equipment pursuant to Regulation number 67.

Approval number: E4-67R-010262


Extension number: 00

Approval mark:

1. LPG equipment considered ⁽¹⁾:
 - ~~Container including the configuration of accessories fitted to the container, as laid down in Appendix 1 to this annex.~~
 - ~~80% stop valve~~
 - ~~Level indicator~~
 - ~~Pressure relief valve (discharge valve)~~
 - ~~Pressure relief device~~
 - ~~Remotely controlled service valve with excess flow valve~~
 - ~~Multi-valve, including the following accessories:~~
 - ~~Gas tight housing~~
 - ~~Power supply bushing (pump/actuators)~~
 - ~~Fuel pump~~
 - ~~Vaporiser/pressure regulator~~
 - ~~Shut-off valve~~
 - ~~Non-return valve~~
 - ~~Gas tube pressure relief valve~~
 - ~~Service coupling~~
 - ~~Flexible hose~~
 - ~~Remote filling unit~~
 - ~~Gas injection device or injector~~
 - ~~Fuel rail~~
 - ~~Gas dosage unit~~
 - ~~Gas mixing piece~~
 - ~~Electronic control unit~~
 - ~~Pressure/temperature sensor~~
 - ~~LPG filter unit~~



2. Trade name or mark : Hose type XD500-3
3. Manufacturer's name and address : Polimer Kaucuk San. Ve Paz A.S.
Essenyurt Yolu 31 Avcilar
34842, Istanbul
Turkey
4. If applicable, name and address of manufacturer's representative : Solution Fit
Krabbenbosweg 7
7555 EC Hengelo
The Netherlands
5. Submitted for approval on : September 2009
6. Technical service responsible for conducting approval tests : Kiwa Nederland b.v.
P.O.Box 137
7300AC Apeldoorn
The Netherlands
7. Date or report issued by that service : 22-03-2010
8. Number of report issued by that service : 125250
9. Approval : granted/~~refused/extended/withdrawn~~⁽¹⁾
10. Reason(s) of extension (if applicable) :
11. Place : Zoetermeer
12. Date : 11-MAY-2010
13. Signature :
14. The documents filed with the application or extension of approval can be obtained upon request.



The image shows the official logo of the RDW (Rijksdienst voor het Verkeer en Waterweg) in blue. The logo features a crown at the top, two lions holding a shield, and the motto 'JE M'AI TIENDRAI' on a banner below. The letters 'RDW' are printed in blue at the bottom of the circular emblem. To the right of the logo is a handwritten signature in black ink, which appears to be 'J.C.M. Hoes'.

⁽¹⁾ Strike out what does not apply.

APPENDIX 1
(containers only)

1. Container characteristics from the Parent Container (Configuration 00):

- (a) Trade name or mark :
- (b) Shape :
- (c) Material :
- (d) Openings : see drawing
- (e) Wall thickness : mm.
- (f) Diameter (cylindrical container) : mm.
- (g) Height (special container shape) : mm.
- (h) External surface : cm²
- (i) Configuration of accessories fitted to container: see table 1.



Table 1:

Number	Item	Type	Approval number	Extension number
a	80 % stop valve			
b	Level indicator			
c	Pressure relief valve			
d	Remotely controlled service valve with excess valve			
e	Fuel pump			
f	Multi-valve			
g	Gas-tight housing			
h	Power supply bushing			
i	Non return valve			
j	Pressure relief device			

2. List of the container family:

The lists of the container family indicate the diameter, capacity, external surface and the possible configuration(s) of the accessories fitted to the container.

Table 2:

Number	Type	Diameter/ height (mm)	Capacity (L)	External surface (cm ²)	Configuration of accessories (codes) ⁽¹⁾
01					
02					

⁽¹⁾ Code 00 and, if applicable, same code(s) from Table 3.

3. List of the possible configurations of accessories fitted to the container:

Specify a list of the possible accessories, which differ from the tested configuration of accessories (code 00) and which may be fitted to the type of container. Specify for all accessories, type, approval number and extension number, indicating its own configuration code.

Table 3:

Number	Accessories	Type	Approval number	Extension number	Configuration of accessories (codes) ⁽¹⁾
a					
b					
c					
d					

