



THE NETHERLANDS (N E D E R L A N D)





COMMUNICATION

Concerning (1):

- approval granted
- approval extended
- approval refused
- approval withdrawn
- production definitely discontinued

of a type of LPG equipment pursuant to Regulation number 67.

RDW

Extension number: 00 Approval number: E4-67R-010268

Approval mark:

- LPG equipment considered (1): 1.
 - Container including the configuration of accessories fitted to the container, as laid down in Appendix 1 to this annex.
 - 80% stop valve
 - Level indicator
 - Pressure relief valve (discharge valve)
 - Pressure relief device
 - Remotely controlled service valve with excess flow valve
 - Multi-valve, including the following accessories:
 - Gas tight housing
 - Power supply bushing (pump/actuators)
 - Fuel pump
 - Vaporiser/pressure regulator
 - Shut off valve
 - Non-return valve
 - Gas-tube pressure relief valve
 - Service coupling
 - Flexible hose
 - Remote filling unit
 - Gas injection device or injector
 - Fuel rail
 - Gas dosage unit
 - Gas mixing piece
 - Electronic control unit
 - Pressure/temperature sensor
 - LPG filter unit



P.O. Box 777 2700 AT Zoetermeer The Netherlands

Tel. + 31 (0)79 345 81 43 Fax + 31 (0)79 345 80 43

www.rdw.nl

Vehicle Approval and Information

2. Trade name or mark : Prins Fuel pump

3. Manufacturer's name and address : Prins Autogassystemen b.v.

Jan Hilgersweg 22 5657 ES Eindhoven The Netherlands

4. If applicable, name and address of

manufacturer's representative

Submitted for approval on : December 2009

6. Technical service responsible for

conducting approval tests

: Kiwa Nederland b.v.

P.O.Box 137

7300AC Apeldoorn The Netherlands

7. Date or report issued by that service : June 14th, 2010

8. Number of report issued by that

service

5.

: 125183

9. Approval : granted/refused/extended/withdrawn (1)

10. Reason(s) of extension (if applicable)

11. Place : Zoetermeer

12. Date : 22-JUN-2010

13. Signature :



14. The documents filed with the application or extension of approval can be obtained upon request.

15 Remark: : Minimum temperature -40°C

⁽¹⁾ Strike out what does not apply.

APPENDIX 1 (containers only)

1. Container characteristics from the Parent Container (Configuration 00):

(a) Trade name or mark :

(b) Shape :

(c) Material :

(d) Openings : see drawing

(e) Wall thickness : mm.

(f) Diameter (cylindrical container) : mm.

(g) Height (special container shape) : mm.

(h) External surface : cm²

(i) Configuration of accessories fitted to container: see table 1.

Table 1:

Number	Item	Type	Approval	Extension
			number	number
a	80 % stop valve			
b	Level indicator			
С	Pressure relief valve			
d	Remotely controlled			
	service valve with			
	excess valve			
e	Fuel pump			
f	Multi-valve			
g	Gas-tight housing			
h	Power supply bushing			
i	Non return valve			
j	Pressure relief device			

2. List of the container family:

The lists of the container family indicate the diameter, capacity, external surface and the possible configuration(s) of the accessories fitted to the container.

Table 2:

Number	Туре	Diameter/ height (mm)	Capacity (L)	External surface (cm ²)	Configuration of accessories (codes) (1)
01					
02					

⁽¹⁾ Code 00 and, if applicable, same code(s) from Table 3.

3. List of the possible configurations of accessories fitted to the container:

Specify a list of the possible accessories, which differ from the tested configuration of accessories (code 00) and which may be fitted to the type of container. Specify for all accessories, type, approval number and extension number, indicating its own configuration code.

Table 3:

Number	Accessories	Туре	Approval number	Extension number	Configuration of accessories (codes) (1)
a					
b					
c					
d					

