

**THE NETHERLANDS
(N E D E R L A N D)****COMMUNICATION**

Concerning ⁽¹⁾:

- ~~approval granted~~
- ~~approval extended~~
- ~~approval refusal~~
- ~~approval withdrawn~~
- ~~production definitely discontinued~~

of a type of LPG equipment pursuant to Regulation number 67.



Approval number: E4-67R-010310

Extension number: 01

1. LPG equipment considered ⁽¹⁾:

- ~~Container including the configuration of accessories fitted to the container, as laid down in Appendix 1 to this annex.~~
- ~~80% stop valve~~
- ~~Level indicator~~
- ~~Pressure relief valve (discharge valve)~~
- ~~Pressure relief device~~
- ~~Remotely controlled service valve with excess flow valve~~
- ~~Multi valve, including the following accessories:
---:~~
 - ~~Gas tight housing~~
 - ~~Power supply bushing (pump/actuators)~~
 - ~~Fuel pump~~
 - ~~Vaporiser/pressure regulator~~
 - ~~Shut off valve~~
 - ~~Non return valve~~
 - ~~Gas tube pressure relief valve~~
 - ~~Service coupling~~
 - ~~Flexible hose~~
 - ~~Remote filling unit~~
 - ~~Gas injection device or injector~~
 - ~~Fuel rail~~
 - ~~Gas dosage unit~~
 - ~~Gas mixing piece~~
 - ~~Electronic control unit~~
 - ~~Pressure/temperature sensor~~
 - ~~LPG filter unit~~



2. Trade name or mark : 30NA-FT10-XXXX
3. Manufacturer's name and address : Keihin Corporation
Shinjuku Normura Bldg. 39F
1-26-2 Nishi-Shinjuku-Ku
Tokyo 163-0539
Japan
4. If applicable, name and address of manufacturer's representative : NA
5. Submitted for approval on : February 2013
6. Technical service responsible for conducting approval tests : Kiwa Nederland B.V.
P.O. Box 137
7300 AC Apeldoorn
The Netherlands
7. Date of report issued by that service : 19-4-2013
8. Number of report issued by that service : 126155, 126703
9. Approval : ~~granted/refused/extended/withdrawn~~⁽¹⁾
10. Reason(s) of extension (if applicable) : The already homologated injector is extended with:
 - Structures : Add two parts.
 - Materials: Added parts (RING, BACK UP&CAP, VALVE SEAT) are the same as previous model .(KN8 30NA-FB60-2xxx)
Others are the same as exiting model.(KN9 30NA-FT10-2xxx)
 - Shapes: Differ in Nozzle shape. But thickness has increased from the previous model.(KN9 30NA-FT10-2xxx)
11. Place : Zoetermeer
12. Date : 27-MAY-2013
13. Signature :  
14. The documents filed with the application or extension of approval can be obtained upon request.

⁽¹⁾ Strike out what does not apply.

APPENDIX 1
(containers only)

1. Container characteristics from the Parent Container (Configuration 00):

- (a) Trade name or mark :
 (b) Shape :
 (c) Material :
 (d) Openings : see drawing
 (e) Wall thickness : mm.
 (f) Diameter (cylindrical container) : mm.
 (g) Height (special container shape) : mm.
 (h) External surface : cm²
 (i) Configuration of accessories fitted to container: see table 1.

Table 1:

| Number | Item | Type | Approval number | Extension number |
|--------|---|------|-----------------|------------------|
| a | 80 % stop valve | | | |
| b | Level indicator | | | |
| c | Pressure relief valve | | | |
| d | Remotely controlled service valve with excess valve | | | |
| e | Fuel pump | | | |
| f | Multi-valve | | | |
| g | Gas-tight housing | | | |
| h | Power supply bushing | | | |
| i | Non return valve | | | |
| j | Pressure relief device | | | |

2. List of the container family:

The lists of the container family indicate the diameter, capacity, external surface and the possible configuration(s) of the accessories fitted to the container.

Table 2:

| Number | Type | Diameter/ height (mm) | Capacity (L) | External surface (cm ²) | Configuration of accessories (codes) ⁽¹⁾ |
|--------|------|-----------------------------|-----------------|---|---|
| 01 | | | | | |
| 02 | | | | | |

⁽¹⁾ Code 00 and, if applicable, same code(s) from Table 3.

3. List of the possible configurations of accessories fitted to the container:



Specify a list of the possible accessories, which differ from the tested configuration of accessories (code 00) and which may be fitted to the type of container. Specify for all accessories, type, approval number and extension number, indicating its own configuration code.

Table 3:

| Number | Accessories | Type | Approval number | Extension number | Configuration of accessories (codes) ⁽¹⁾ |
|--------|-------------|------|-----------------|------------------|---|
| a | | | | | |
| b | | | | | |
| c | | | | | |
| d | | | | | |

